



MOSSINI PRESSE

MOSSINI S.p.A.

23855 Pescate (LC) – Via Roma, 31 – ITALY

Telefono +39 (0) 341 367397 r.a. 4 linee - Fax +39 (0) 341 362773

info@mossini.com - <http://www.mossini.com>

Cap. Soc. Euro 1.508.000. i.v.

N. iscrizione Reg. Imp. – Cod. fiscale e Part. IVA 00827730151

VAT No. IT 00827730151 – R.E.A. Lecco 124903

SECOND-HAND PRESSES

Brand: MOSSINI

Press type: Mechanical and Hydraulic



MOSSINI PRESSE

MOSSINI S.p.A.

23855 Pescate (LC) – Via Roma, 31 – ITALY

Telefono +39 (0) 341 367397 r.a. 4 linee - Fax +39 (0) 341 362773

info@mossini.com - http://www.mossini.com

Cap. Soc. Euro 1.508.000. i.v.

N. iscrizione Reg. Imp. – Cod. fiscale e Part. IVA 00827730151

VAT No. IT 00827730151 – R.E.A. Lecco 124903

HYDRAULIC PRESSES

TECHNICAL FEATURES PO/2M/800

| | | | |
|---|--------|--|------------------|
| Type of Press | | | Hydraulic |
| Adjustable capacity | kN | | 1000:8000 |
| Number of main cylinders | N° | | 2 |
| Working table dimensions | mm | | 3200x2000 |
| Slide table dimensions | mm | | 3200x2000 |
| Useful front distance | mm | | 3200 |
| Useful passage between the uprights (lateral) | mm | | 1200 |
| Slide stroke | mm | | 800 |
| Minimum distance between tables (slide to BDC) | mm | | 600 |
| Maximum distance between tables (slide to TDC) | mm | | 1400 |
| Slide approaching speed | mm/sec | | 280 |
| Slide working speed | mm/sec | | 12:37 |
| Slide return speed | mm/sec | | 280 |
| Dimensions of the lower blank holder cushion table | mm | | 2400x1400 |
| Lower blank holder cushion stroke | mm | | 315 |
| Overall reaction force of the lower blank holder cushion (min-max) | kN | | 400:3200 |
| Number of lower blank holder cushion cylinders | N° | | 2 |
| Number of independent adjustments of the lower blank holder cushion | N° | | 2 |
| Blanking device with cylinder | N° | | 4 |
| Overall force | Kn | | 2500 |
| Stroke | mm | | 250 |
| Main motor power | kW | | 110 |
| Total installed power | kW | | 120 |



MOSSINI PRESSE

MOSSINI S.p.A.

23855 Pescate (LC) – Via Roma, 31 – ITALY

Telefono +39 (0) 341 367397 r.a. 4 linee - Fax +39 (0) 341 362773

info@mossini.com - <http://www.mossini.com>

Cap. Soc. Euro 1.508.000. i.v.

N. iscrizione Reg. Imp. – Cod. fiscale e Part. IVA 00827730151

VAT No. IT 00827730151 – R.E.A. Lecco 124903

MECHANICAL PRESSES

TECHNICAL FEATURES PDM/1B/800

| | | | |
|---|-----|--|------------------|
| Type | | | Eccentric |
| Nominal force | kN | | 8000 |
| Connecting rods | No. | | 1 |
| Working table dimensions | mm | | 1100 x 1100 |
| Slide dimensions | mm | | 1100 x 1000 |
| Distance between the sides | mm | | 1100 |
| Fixed slide stroke | mm | | 160 |
| Strokes at 1' | No. | | 26 |
| Displayed and motorised slide adjustment | mm | | 160 |
| Distance between the table and slide with adjustment at the top and max. stroke at the bottom | mm | | 500 |
| Main motor power | kW | | 55 |
| | | | |





MOSSINI PRESSE

MOSSINI S.p.A.

23855 Pescate (LC) – Via Roma, 31 – ITALY

Telefono +39 (0) 341 367397 r.a. 4 linee - Fax +39 (0) 341 362773

info@mossini.com - <http://www.mossini.com>

Cap. Soc. Euro 1.508.000. i.v.

N. iscrizione Reg. Imp. – Cod. fiscale e Part. IVA 00827730151

VAT No. IT 00827730151 – R.E.A. Lecco 124903

TECHNICAL FEATURES PDM/2B/800

| TECHNICAL FEATURES PDM/2B/800 | | | |
|---|-----|--|------------------|
| Type | | | Eccentric |
| Nominal force | kN | | 8000 |
| Connecting rods | No. | | 2 |
| Working table dimensions | mm | | 3200 x 1700 |
| Moving bolsters (F-B) | No. | | 2 |
| Slide dimensions | mm | | 3200 x 1700 |
| Distance between the sides | mm | | 3200 |
| Window in the uprights | mm | | 1650 |
| Fixed slide stroke | mm | | 500 |
| Strokes at 1' variables | No. | | 5:14 |
| Displayed and motorised slide adjustment | mm | | 200 |
| Distance between the table and slide with adjustment at the top and max. stroke at the bottom | mm | | 800 |
| Main motor power | kW | | 110 |
| | | | |
| Hydraulic cushions | No | | 2 |
| Stroke | mm | | 120 |
| Capacity of the cushions | kN | | 2300+800 |
| | | | |

